

Appendix A

**Common and Scientific Names of Plant
Species Identified in the Project
Area and Mentioned in Text**

Table A-1. Common and Scientific Names of Plant Species Identified in the Project Area and Mentioned in Text

| Scientific Name | Common Name |
|---|----------------------------|
| <i>Acaena pinnatifida</i> var. <i>californica</i> | Argentinian biddy-biddy* |
| <i>Achillea millefolium</i> | California white yarrow* |
| <i>Achyrrachaena mollis</i> | Blow-wives* |
| <i>Adenostoma fasciculatum</i> | Chamise* |
| <i>Aegilops truncialis</i> | Barbed goatgrass* |
| <i>Aesculus californica</i> | California buckeye* |
| <i>Agrostis microphylla</i> | Little-leaf bentgrass* |
| <i>Agrostis viridis</i> | Bentgrass* |
| <i>Aira caryophylla</i> | Silver European hairgrass* |
| <i>Amaranthus palmeri</i> | Palmer's amaranth* |
| <i>Ambrosia psilostachya</i> | Western ragweed* |
| <i>Amsinckia menziesii</i> var. <i>intermedia</i> | Common fiddleneck* |
| <i>Anagallis arvensis</i> | Scarlet pimpernel* |
| <i>Anaphalis margaritaceae</i> | Pearly everlasting* |
| <i>Anthemis cotula</i> | Mayweed* |
| <i>Arbutus menziesii</i> | Pacific madrone* |
| <i>Arctostaphylos pajaroensis</i> | Pajaro manzanita* |
| <i>Arctostaphylos tomentosa</i> | Woolly-leaved manzanita* |
| <i>Artemisia californica</i> | California sagebrush* |
| <i>Artemisia douglasiana</i> | Mugwort* |
| <i>Asclepias californica</i> | California milkweed* |
| <i>Asclepias fascicularis</i> | Narrow-leaved milkweed* |
| <i>Aster chilensis</i> | California aster* |
| <i>Avena barbata</i> | Slender wild oat* |
| <i>Avena fatua</i> | Wild oat* |
| <i>Avena sativa</i> | Common oat* |
| <i>Baccharis pilularis</i> | Coyote brush* |
| <i>Baccharis salicifolia</i> | Mule fat* |
| <i>Bellardia trixago</i> | Bellardia* |
| <i>Brachypodium distachyon</i> | False brome* |
| <i>Brassica nigra</i> | Black mustard* |
| <i>Brassica rapa</i> | Field mustard* |
| <i>Briza maxima</i> | Big quaking grass* |
| <i>Briza minor</i> | Little quaking grass* |

Table A-1. Continued

| Scientific Name | Common Name |
|--|-----------------------------|
| <i>Brodiaea elegans</i> | Harvest brodiaea* |
| <i>Bromus carinatus</i> | California brome* |
| <i>Bromus diandrus</i> | Ripgut brome* |
| <i>Bromus hordeaceus</i> | Soft chess* |
| <i>Bromus madritensis</i> ssp. <i>rubens</i> | Red brome* |
| <i>Bromus tectorum</i> | Cheat grass* |
| <i>Calochortus albus</i> | White fairy lantern* |
| <i>Calochortus luteus</i> | Yellow mariposa* |
| <i>Calochortus venustus</i> | Butterfly mariposa lily* |
| <i>Calystegia occidentalis</i> | Western morning-glory* |
| <i>Capsella bursa-pastoris</i> | Shepherd's purse* |
| <i>Cardaria draba</i> | Hoary cress* |
| <i>Carduus pycnocephalus</i> | Italian thistle* |
| <i>Carex alma</i> | Sturdy sedge* |
| <i>Carex multicaulis</i> | Many-stemmed sedge* |
| <i>Castilleja exserta</i> ssp. <i>exserta</i> | Purple owl's-clover* |
| <i>Ceanothus dentatus</i> | Dwarf sand-scrub ceanothus* |
| <i>Centaurea calcitrapa</i> | Purple star-thistle* |
| <i>Centaurea melitensis</i> | Maltese star-thistle* |
| <i>Centaurea solstitialis</i> | Yellow star-thistle |
| <i>Centaureum davyi</i> | Davy's centaury* |
| <i>Centaureum muehlenbergii</i> | Muhlenberg's centaury* |
| <i>Centromadia parryi</i> ssp. <i>parryi</i> | Pappose tarplant* |
| <i>Cerastium glomeratum</i> | Mouse-ear chickweed* |
| <i>Chamomilla suaveolens</i> | Pineapple weed* |
| <i>Chenopodium</i> sp. | Goosefoot* |
| <i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i> | Common soap plant* |
| <i>Cirsium vulgare</i> | Bull thistle* |
| <i>Clarkia purpurea</i> | Purple clarkia* |
| <i>Claytonia perfoliata</i> ssp. <i>perfoliata</i> | Miner's lettuce* |
| <i>Collinsia heterophylla</i> | Chinese houses* |
| <i>Conium maculatum</i> | Poison hemlock* |
| <i>Convolvulus arvensis</i> | Bindweed* |
| <i>Conyza</i> sp. | Horseweed* |

Table A-1. Continued

| Scientific Name | Common Name |
|--|--------------------------|
| <i>Cortaderia</i> sp. | Pampas grass* |
| <i>Cotula coronopifolia</i> | Brass buttons* |
| <i>Cressa truxillensis</i> | Alkali weed* |
| <i>Crypsis schoenoides</i> | Swamp grass* |
| <i>Cynodon dactylon</i> | Bermuda grass* |
| <i>Cyperus eragrostis</i> | Tall flatsedge* |
| <i>Dactylis glomerata</i> | Orchard grass* |
| <i>Danthonia californica</i> var. <i>californica</i> | California oat grass* |
| <i>Delphinium variegatum</i> | Royal larkspur* |
| <i>Dipsacus</i> sp. | Teasel* |
| <i>Distichlis spicata</i> | Saltgrass* |
| <i>Dudleya cymosa</i> | Rock lettuce* |
| <i>Ehrharta calycina</i> | Perennial veldtgrass* |
| <i>Eleocharis acicularis</i> | Needle spike-rush* |
| <i>Eleocharis macrostachya</i> | Common spike-rush* |
| <i>Elymus glaucus</i> | Blue wildrye* |
| <i>Elymus multisetus</i> | Big squirreltail* |
| <i>Epilobium</i> sp. | Willowherb* |
| <i>Eremocarpus setigerus</i> | Doveweed* |
| <i>Ericameria</i> sp. | Goldenbush* |
| <i>Eriogonum</i> sp. | Buckwheat* |
| <i>Eriogonum wrightii</i> var. <i>subscaposum</i> | Wright's buckwheat* |
| <i>Eriophyllum confertiflorum</i> | Golden yarrow* |
| <i>Eriophyllum lanatum</i> | Common woolly sunflower* |
| <i>Erodium botrys</i> | Long-beaked filaree* |
| <i>Erodium brachycarpum</i> | Whitestem filaree* |
| <i>Erodium cicutarium</i> | Redstem filaree* |
| <i>Eschscholzia californica</i> | California poppy* |
| <i>Eucalyptus</i> sp. | Eucalyptus* |
| <i>Festuca idahoensis</i> | Idaho fescue* |
| <i>Filago californica</i> | California fluffweed* |
| <i>Filago gallica</i> | Narrow-leaved filago* |
| <i>Foeniculum vulgare</i> | Fennel* |
| <i>Frankenia salina</i> | Alkali heath* |

Table A-1. Continued

| Scientific Name | Common Name |
|--|-----------------------------|
| <i>Galium aparine</i> | Goose grass* |
| <i>Galium</i> sp. | Bedstraw* |
| <i>Gastridium ventricosum</i> | Nit grass* |
| <i>Geranium dissectum</i> | Cut-leaved geranium* |
| <i>Geranium molle</i> | Dove's-foot geranium* |
| <i>Gnaphalium purpureum</i> | Purple everlasting* |
| <i>Gnaphalium</i> sp. | Everlasting* |
| <i>Grindelia</i> sp. | Grindelia* |
| <i>Heliotropium curassavicum</i> | Salt heliotrope* |
| <i>Heteromeles arbutifolia</i> | Toyon* |
| <i>Heterotheca grandiflora</i> | Telegraph weed* |
| <i>Heterotheca</i> sp. | Golden aster* |
| <i>Hirschfeldia incana</i> | Summer mustard* |
| <i>Hordeum brachyantherum</i> | Meadow barley* |
| <i>Hordeum depressum</i> | Low barley* |
| <i>Hordeum marinum</i> ssp. <i>gussoneanum</i> | Mediterranean barley* |
| <i>Hordeum murinum</i> ssp. <i>leporinum</i> | Hare barley* |
| <i>Horkelia cuneata</i> ssp. <i>cuneata</i> | Coast horkelia* |
| <i>Hypochaeris glabra</i> | Smooth cat's-ear* |
| <i>Hypochaeris radiata</i> | Rough cat's-ear* |
| <i>Iris douglasiana</i> | Douglas iris* |
| <i>Iva axillaris</i> ssp. <i>robustior</i> | Poverty weed* |
| <i>Juncus bufonius</i> var. <i>bufonius</i> | Common toad rush* |
| <i>Juncus effusus</i> | Soft rush* |
| <i>Juncus mexicanus</i> | Mexican rush* |
| <i>Juncus tenuis</i> | Slender rush* |
| <i>Juncus xiphioides</i> | Iris-leaved rush* |
| <i>Lactuca saligna</i> | Narrow-leaved wild lettuce* |
| <i>Lamarckia aurea</i> | Goldentop* |
| <i>Lathyrus vestitus</i> | Pacific pea* |
| <i>Layia platyglossa</i> | Tidy tips* |
| <i>Lemna</i> sp. | Duckweed* |
| <i>Leontodon taraxacoides</i> | Hawkbit* |
| <i>Lepidium latifolium</i> | Perennial pepperweed* |

Table A-1. Continued

| Scientific Name | Common Name |
|--------------------------------|---------------------------|
| <i>Lepidium</i> sp. | Annual peppergrass* |
| <i>Lessingia filaginifolia</i> | Common California aster* |
| <i>Lessingia</i> sp. | Lessingia* |
| <i>Leymus triticoides</i> | Alkali ryegrass* |
| <i>Linanthus ciliatus</i> | Whisker-brush* |
| <i>Linum bienne</i> | Narrow-leaved flax* |
| <i>Linum</i> sp. | Flax* |
| <i>Lolium multiflorum</i> | Italian ryegrass* |
| <i>Lomatium</i> sp. | Lomatium* |
| <i>Lotus corniculatus</i> | Bird's-foot trefoil* |
| <i>Lotus purshianus</i> | Spanish lotus* |
| <i>Lotus scoparius</i> | Deerweed* |
| <i>Lupinus albifrons</i> | Silver lupine* |
| <i>Lupinus bicolor</i> | Miniature lupine* |
| <i>Lupinus microcarpus</i> | Chick lupine* |
| <i>Lupinus nanus</i> | Sky lupine* |
| <i>Lupinus</i> sp. | Lupine* |
| <i>Lupinus succulentus</i> | Succulent lupine* |
| <i>Lythrum hyssopifolium</i> | Hyssop loosestrife* |
| <i>Madia elegans</i> | Common madia* |
| <i>Madia minima</i> | Dwarf madia* |
| <i>Malva parviflora</i> | Cheeseweed* |
| <i>Malvella leprosa</i> | Alkali mallow* |
| <i>Marah</i> sp. | Manroot* |
| <i>Marrubium vulgare</i> | White horehound* |
| <i>Medicago polymorpha</i> | California burclover* |
| <i>Melica imperfecta</i> | California melic* |
| <i>Melilotus indica</i> | Sourclover* |
| <i>Mimulus aurantiacus</i> | Bush monkeyflower* |
| <i>Mimulus guttatus</i> | Seep-spring monkeyflower* |
| <i>Monardella villosa</i> | Coyote mint* |
| <i>Muilla maritima</i> | Muilla* |
| <i>Nassella lepida</i> | Foothill needlegrass* |
| <i>Nassella pulchra</i> | Purple needlegrass* |

Table A-1. Continued

| Scientific Name | Common Name |
|--|--------------------------|
| <i>Navarretia atractyloides</i> | Holly-leaf navarretia* |
| <i>Nicotiana glauca</i> | Tree tobacco* |
| <i>Oxalis corniculata</i> | Creeping wood sorrel* |
| <i>Pedicularis densiflora</i> | Indian warrior* |
| <i>Pentagramma triangularis</i> | Goldback fern* |
| <i>Perideridia</i> sp. | Yampah* |
| <i>Phalaris minor</i> | Little-seed canarygrass* |
| <i>Phyla nodiflora</i> | Common lippia* |
| <i>Picris echioides</i> | Bristly ox-tongue* |
| <i>Plagiobothrys canescens</i> | Valley popcorn flower* |
| <i>Plagiobothrys nothofulvus</i> | Rusty popcorn flower* |
| <i>Plagiobothrys stipitatus</i> var. <i>micranthus</i> | Stalked popcorn flower* |
| <i>Plantago coronopus</i> | Cut-leaf plantain* |
| <i>Plantago erecta</i> | California plantain* |
| <i>Plantago lanceolata</i> | English plantain* |
| <i>Plantago major</i> | Common plantain* |
| <i>Platanus racemosa</i> | California sycamore |
| <i>Poa annua</i> | Annual bluegrass* |
| <i>Polygala californica</i> | California milkwort* |
| <i>Polygonum arenastrum</i> | Common knotweed* |
| <i>Polypogon interruptus</i> | Ditch beard grass* |
| <i>Polypogon monspeliensis</i> | Annual beard grass* |
| <i>Populus fremontii</i> | Fremont's cottonwood* |
| <i>Prunus</i> sp. | Prunus* |
| <i>Pteridium aquilinum</i> var. <i>pubescens</i> | Bracken* |
| <i>Quercus agrifolia</i> | Coast live oak* |
| <i>Quercus lobata</i> | Valley oak* |
| <i>Ranunculus californicus</i> | California buttercup* |
| <i>Ranunculus muricatus</i> | Spiny buttercup* |
| <i>Ranunculus occidentalis</i> | Western buttercup* |
| <i>Raphanus sativus</i> | Wild radish* |
| <i>Rhamnus californica</i> | California coffeeberry* |
| <i>Ribes</i> sp. | Gooseberry* |
| <i>Rorippa nasturtium-aquaticum</i> | Water-cress* |

Table A-1. Continued

| Scientific Name | Common Name |
|---|--------------------------|
| <i>Rosa californica</i> | California wild rose* |
| <i>Rubus ursinus</i> | Pacific blackberry* |
| <i>Rumex acetosella</i> | Sheep sorrel* |
| <i>Rumex crispus</i> | Curly dock* |
| <i>Rumex pulcher</i> | Fiddle dock* |
| <i>Salix exigua</i> | Narrowleaf willow* |
| <i>Salix laevigata</i> | Red willow* |
| <i>Salix lasiolepis</i> | Arroyo willow* |
| <i>Salvia mellifera</i> | Black sage* |
| <i>Sambucus mexicana</i> | Blue elderberry* |
| <i>Sanicula crassicaulis</i> | Pacific sanicle* |
| <i>Schoenoplectus acutus</i> | Common tule |
| <i>Schoenoplectus americanus</i> | American tule* |
| <i>Scrophularia californica</i> | California figwort* |
| <i>Sidalcea malvaeflora</i> | Checker mallow* |
| <i>Silene gallica</i> | Common catchfly* |
| <i>Silybum marianum</i> | Milk thistle* |
| <i>Sisyrinchium bellum</i> | Blue-eyed grass* |
| <i>Solanum xanti</i> | Chaparral nightshade* |
| <i>Sonchus asper</i> ssp. <i>asper</i> | Prickly sow thistle* |
| <i>Sonchus oleraceus</i> | Common sow thistle* |
| <i>Spergularia rubra</i> | Purple sand spurry* |
| <i>Stachys ajugoides</i> var. <i>rigida</i> | Rigid hedge nettle* |
| <i>Stachys bullata</i> | California hedge nettle* |
| <i>Stachys</i> sp. | Hedge nettle* |
| <i>Stellaria media</i> | Common chickweed* |
| <i>Stylocline gnaphaloides</i> | Everlasting nest-straw* |
| <i>Symphoricarpos mollis</i> | Snowberry* |
| <i>Taeniatherum caput-medusae</i> | Medusa-head * |
| <i>Taraxacum officinale</i> | Common dandelion* |
| <i>Torilis arvensis</i> | Hedge parsley* |
| <i>Torilis nodosa</i> | Knotted hedge parsley* |
| <i>Toxicodendron diversilobum</i> | Poison oak* |
| <i>Tragopogon dubius</i> | Yellow salsify* |

Table A-1. Continued

| Scientific Name | Common Name |
|---------------------------------|------------------------|
| <i>Tragopogon porrifolius</i> | Purple salsify* |
| <i>Tribulus terrestris</i> | Puncture-vine* |
| <i>Trifolium subterraneum</i> | Subterranean clover* |
| <i>Trifolium angustifolium</i> | Narrow-leaved clover* |
| <i>Trifolium campestre</i> | Hop clover* |
| <i>Trifolium ciliolatum</i> | Tree clover* |
| <i>Trifolium dubium</i> | Shamrock* |
| <i>Trifolium fragiferum</i> | Strawberry clover* |
| <i>Trifolium hirtum</i> | Rose clover* |
| <i>Trifolium pratense</i> | Red clover* |
| <i>Trifolium repens</i> | White clover* |
| <i>Trifolium variegatum</i> | White-tipped clover* |
| <i>Trifolium wormskioldii</i> | Cow clover* |
| <i>Triteleia hyacinthina</i> | White brodiaea* |
| <i>Triteleia ixioides</i> | Golden brodiaea* |
| <i>Triteleia laxa</i> | Ithuriel's spear* |
| <i>Triticum aestivum</i> | Wheat* |
| <i>Typha angustifolia</i> | Narrow-leaved cattail* |
| <i>Umbellularia californica</i> | California bay* |
| <i>Urtica dioica</i> | Nettle* |
| <i>Verbena lasiostachys</i> | Western verbena* |
| <i>Veronica americana</i> | American brooklime* |
| <i>Veronica</i> sp. | Brooklime* |
| <i>Vicia sativa</i> | Spring vetch* |
| <i>Vicia villosa</i> | Winter vetch* |
| <i>Viola pedunculata</i> | Johnny-jump-up* |
| <i>Vireo bellii pusillus</i> | Least Bell's vireo |
| <i>Vulpia myuros</i> | Rat-tail fescue* |
| <i>Wyethia</i> sp. | Mule-ears* |
| <i>Xanthium spinosum</i> | Spiny cocklebur* |
| <i>Xanthium strumarium</i> | Cocklebur* |
| <i>Zannichellia palustris</i> | Horned pondweed* |

* An asterisk indicates that the species was observed in the project area during field surveys.

Table A-1. Common and Scientific Names of Plant Species Identified in the Project Area and Mentioned in Text

This page intentionally left blank.