



LEGEND

- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both
- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

Pole/Tower Locations

- El Caso Towers
- Devers-San Bernardino No 1 220kV
- Devers-San Bernardino No 2 220kV
- Devers-Vista No 1 220kV
- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV

Other Features


- Morongo Indian Reservation
- U.S. Bureau of Land Management

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
 I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



FIGURE 1
Sheet 50 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations



SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012); I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)

LEGEND

- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both

- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

Pole/Tower Locations

- El Caso Towers
- Devers-San Bernardino No 1 220kV
- Devers-San Bernardino No 2 220kV
- Devers-Vista No 1 220kV

- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



FIGURE 1
Sheet 51 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations



LEGEND

- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both
- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

Pole/Tower Locations

- El Caso Towers
- Devers-San Bernardino No 1 220kV
- Devers-San Bernardino No 2 220kV
- Devers-Vista No 1 220kV
- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV

Other Features

- Morongo Indian Reservation
- U.S. Bureau of Land Management

SOUTHERN CALIFORNIA EDISON
An EDISON INTERNATIONAL Company

0 150 300 FEET

Image courtesy of USGS © 2013 Microsoft Corporation © 2010 NAVTEQ © AND





FIGURE 1
Sheet 52 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



- LEGEND**
- Transmission Line Right of Way
 - Transmission Line Right of Way to be Removed
 - Proposed Transmission Line Right of Way
 - Proposed Alternative Transmission Line Right of Way
 - Proposed Transmission Line Right of Way Common to Both

- ▲ Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- — Transmission Lines

- Pole/Tower Locations**
- El Caso Towers
 - Devers-San Bernardino No 1 220kV
 - Devers-San Bernardino No 2 220kV
 - Devers-Vista No 1 220kV


- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



FIGURE 1
Sheet 53 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



bing™

Image courtesy of USGS © 2013 Microsoft Corporation © 2010 NAVTEQ © AND

SOUTHERN CALIFORNIA EDISON
AN EDISON INTERNATIONAL COMPANY

- LEGEND**
- Transmission Line Right of Way
 - Transmission Line Right of Way to be Removed
 - Proposed Transmission Line Right of Way
 - Proposed Alternative Transmission Line Right of Way
 - Proposed Transmission Line Right of Way Common to Both

- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

- Pole/Tower Locations**
- El Caso Towers
 - Devers-San Bernardino No 1 220kV
 - Devers-San Bernardino No 2 220kV
 - Devers-Vista No 1 220kV



- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



FIGURE 1
Sheet 54 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



- LEGEND**
- Transmission Line Right of Way
 - Transmission Line Right of Way to be Removed
 - Proposed Transmission Line Right of Way
 - Proposed Alternative Transmission Line Right of Way
 - Proposed Transmission Line Right of Way Common to Both
 - ▲ Noise Monitor
 - Long-Term 24-Hour Monitor
 - Substations/Junctions
 - Transmission Lines

- Pole/Tower Locations**
- El Caso Towers
 - Devers-San Bernardino No 1 220kV
 - Devers-San Bernardino No 2 220kV
 - Devers-Vista No 1 220kV


- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



FIGURE 1
Sheet 55 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



LEGEND

- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both
- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

Pole/Tower Locations

- El Caso Towers
- Devers-San Bernardino No 1 220kV
- Devers-San Bernardino No 2 220kV
- Devers-Vista No 1 220kV
- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV

Other Features

- Morongo Indian Reservation
- U.S. Bureau of Land Management

SOUTHERN CALIFORNIA EDISON
AN EDISON INTERNATIONAL COMPANY



0 150 300 FEET



FIGURE 1
Sheet 56 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
E:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



LEGEND

Transmission Line Right of Way	Noise Monitor
Transmission Line Right of Way to be Removed	Long-Term 24-Hour Monitor
Proposed Transmission Line Right of Way	Substations/Junctions
Proposed Alternative Transmission Line Right of Way	Transmission Lines
Proposed Transmission Line Right of Way Common to Both	

Pole/Tower Locations

El Caso Towers
Devers-San Bernardino No 1 220kV
Devers-San Bernardino No 2 220kV
Devers-Vista No 1 220kV

Devers-Vista No 2 220kV	Etiwanda-San Bernardino 220kV
Morongo Indian Reservation	U.S. Bureau of Land Management



FIGURE 1
Sheet 57 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



Image courtesy of USGS © 2013 Microsoft Corporation © 2010 NAVTEQ © AND

SOUTHERN CALIFORNIA EDISON
AN EDISON INTERNATIONAL COMPANY

LEGEND

- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both
- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

Pole/Tower Locations

- El Caso Towers
- Devers-San Bernardino No 1 220kV
- Devers-San Bernardino No 2 220kV
- Devers-Vista No 1 220kV
- Devers-Vista No 2 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management




FIGURE 1
Sheet 58 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



SOUTHERN CALIFORNIA EDISON
An EDISON INTERNATIONAL Company

LEGEND

- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both
- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

Pole/Tower Locations

- El Caso Towers
- Devers-San Bernardino No 1 220kV
- Devers-San Bernardino No 2 220kV
- Devers-Vista No 1 220kV


- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



FIGURE 1
Sheet 59 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE\1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



LEGEND

- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both
- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

Pole/Tower Locations



- El Caso Towers
- Devers-San Bernardino No 1 220kV
- Devers-San Bernardino No 2 220kV
- Devers-Vista No 1 220kV
- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



FIGURE 1
Sheet 60 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012); I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)

LEGEND

- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both

- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

- Pole/Tower Locations**
- El Caso Towers
 - Devers-San Bernardino No 1 220kV
 - Devers-San Bernardino No 2 220kV
 - Devers-Vista No 1 220kV

- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



FIGURE 1
Sheet 61 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations



Image courtesy of USGS © 2013 Microsoft Corporation © 2010 NAVTEQ © AND



LEGEND


- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both

- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

Pole/Tower Locations

- El Caso Towers
- Devers-San Bernardino No 1 220kV
- Devers-San Bernardino No 2 220kV
- Devers-Vista No 1 220kV

- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
 I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



FIGURE 1
Sheet 62 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations





Image courtesy of USGS © 2013 Microsoft Corporation © 2010 NAVTEQ © AND



- LEGEND**
- Transmission Line Right of Way
 - Transmission Line Right of Way to be Removed
 - Proposed Transmission Line Right of Way
 - Proposed Alternative Transmission Line Right of Way
 - Proposed Transmission Line Right of Way Common to Both

- ▲ Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- — Transmission Lines

- Pole/Tower Locations**
- El Caso Towers
 - Devers-San Bernardino No 1 220kV
 - Devers-San Bernardino No 2 220kV
 - Devers-Vista No 1 220kV

- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



FIGURE 1
Sheet 63 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)




- LEGEND**
- Transmission Line Right of Way
 - Transmission Line Right of Way to be Removed
 - Proposed Transmission Line Right of Way
 - Proposed Alternative Transmission Line Right of Way
 - Proposed Transmission Line Right of Way Common to Both

- ▲ Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

- Pole/Tower Locations**
- El Caso Towers
 - Devers-San Bernardino No 1 220kV
 - Devers-San Bernardino No 2 220kV
 - Devers-Vista No 1 220kV

- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
 I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)




FIGURE 1
 Sheet 64 of 67

Southern California Edison
 West of Devers Upgrade Project
 Noise Monitoring Locations





Image courtesy of USGS © 2013 Microsoft Corporation © 2010 NAVTEQ © AND



- LEGEND**
- Transmission Line Right of Way
 - Transmission Line Right of Way to be Removed
 - Proposed Transmission Line Right of Way
 - Proposed Alternative Transmission Line Right of Way
 - Proposed Transmission Line Right of Way Common to Both
 - ▲ Noise Monitor
 - Long-Term 24-Hour Monitor
 - Substations/Junctions
 - Transmission Lines

- Pole/Tower Locations**
- El Caso Towers
 - Devers-San Bernardino No 1 220kV
 - Devers-San Bernardino No 2 220kV
 - Devers-Vista No 1 220kV
 - Devers-Vista No 2 220kV
 - Etiwanda-San Bernardino 220kV
 - Morongo Indian Reservation
 - U.S. Bureau of Land Management



FIGURE 1
Sheet 65 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



Image courtesy of USGS © 2013 Microsoft Corporation © 2010 NAVTEQ © AND

SOUTHERN CALIFORNIA EDISON
AN EDISON INTERNATIONAL COMPANY

LEGEND

- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both
- ▲ Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- — Transmission Lines

0 150 300 FEET

Pole/Tower Locations

- El Caso Towers
- Devers-San Bernardino No 1 220kV
- Devers-San Bernardino No 2 220kV
- Devers-Vista No 1 220kV
- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management




FIGURE 1
Sheet 66 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012);
I:\SCE\1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)




Image courtesy of USGS © 2013 Microsoft Corporation © 2010 NAVTEQ © AND




LEGEND

- Transmission Line Right of Way
- Transmission Line Right of Way to be Removed
- Proposed Transmission Line Right of Way
- Proposed Alternative Transmission Line Right of Way
- Proposed Transmission Line Right of Way Common to Both

- Noise Monitor
- Long-Term 24-Hour Monitor
- Substations/Junctions
- Transmission Lines

- Pole/Tower Locations**
- El Caso Towers
 - Devers-San Bernardino No 1 220kV
 - Devers-San Bernardino No 2 220kV
 - Devers-Vista No 1 220kV

- Devers-Vista No 2 220kV
- Etiwanda-San Bernardino 220kV
- Morongo Indian Reservation
- U.S. Bureau of Land Management



SOURCE: Bing Maps (2010); SCE (9/2011, 11/2011, 11/2012); LSA (12/2012); I:\SCE1110\GIS\MXD\Noise\MonitoringLocs_DetailedMap.mxd (9/20/2013)



FIGURE 1
Sheet 67 of 67

Southern California Edison
West of Devers Upgrade Project
Noise Monitoring Locations

LONG-TERM NOISE LEVEL MEASUREMENTS

24-Hour Noise Level Measurement - LT-1

3048 Prado Lane, Colton, CA

Larson Davis 820

	Date	Time	Duration	Leq	Lmax	Lmin	Lpeak	L2	L8	L25	L50	L90	L99	SEL
1	2/5/13	12:08 PM	51.4	42.2	66.2	31.0	80.5	49.8	44.9	40.6	37.0	33.4	32.0	77.1
2	2/5/13	1:00 PM	60.0	43.6	66.9	29.1	79.4	51.8	43.9	38.7	35.0	31.5	30.0	79.2
3	2/5/13	2:00 PM	60.0	40.5	60.8	27.0	77.2	50.7	43.8	38.1	33.1	29.1	28.0	76.1
4	2/5/13	3:00 PM	60.0	41.5	64.7	25.7	80.8	48.6	45.5	42.1	37.5	29.3	27.1	77.1
5	2/5/13	4:00 PM	60.0	52.5	76.3	25.7	88.3	60.3	51.0	46.6	41.6	31.9	28.0	88.1
6	2/5/13	5:00 PM	60.0	51.5	73.8	29.0	86.1	62.1	52.1	42.1	36.6	31.5	30.1	87.0
7	2/5/13	6:00 PM	60.0	45.2	67.0	31.9	79.6	54.0	48.0	41.3	38.2	34.7	33.3	80.8
8	2/5/13	7:00 PM	60.0	36.4	51.8	30.6	76.9	43.1	39.8	36.3	34.6	32.4	31.2	72.0
9	2/5/13	8:00 PM	60.0	41.1	62.2	24.5	73.5	51.0	41.2	34.6	31.6	27.5	25.8	76.7
10	2/5/13	9:00 PM	60.0	42.8	60.3	22.4	72.1	53.7	47.7	36.8	31.0	26.5	24.6	78.4
11	2/5/13	10:00 PM	60.0	40.8	64.1	24.4	76.5	49.7	40.2	34.9	30.7	26.4	25.3	76.4
12	2/5/13	11:00 PM	60.0	39.2	66.3	23.8	76.9	44.6	33.5	29.0	26.2	24.7	24.1	74.8
13	2/6/13	12:00 AM	60.0	26.8	48.3	23.9	58.1	30.7	26.6	25.8	25.4	24.3	24.0	62.4
14	2/6/13	1:00 AM	60.0	25.2	38.0	23.4	56.0	27.5	26.0	25.5	24.9	24.1	23.4	60.8
15	2/6/13	2:00 AM	60.0	27.0	57.6	23.6	73.0	28.9	26.6	25.7	25.1	24.2	24.0	62.6
16	2/6/13	3:00 AM	60.0	38.3	62.7	23.8	76.0	47.2	27.7	26.0	25.6	24.6	24.1	73.9
17	2/6/13	4:00 AM	60.0	40.5	65.0	24.1	78.5	51.5	30.8	26.6	25.8	24.7	24.1	76.1
18	2/6/13	5:00 AM	60.0	29.7	47.8	22.6	61.4	36.9	31.8	29.9	26.6	25.1	23.2	65.2
19	2/6/13	6:00 AM	60.0	39.9	62.1	29.2	78.7	48.9	42.5	36.1	32.4	30.4	29.6	75.5
20	2/6/13	7:00 AM	60.0	43.1	66.6	30.9	80.5	52.3	45.5	40.7	37.4	33.5	32.0	78.7
21	2/6/13	8:00 AM	60.0	44.4	68.0	32.1	77.6	53.5	46.2	41.8	38.3	34.8	33.3	80.0
22	2/6/13	9:00 AM	60.0	43.3	67.8	28.4	78.5	52.7	45.8	39.8	36.1	32.3	30.4	78.9
23	2/6/13	10:00 AM	60.0	47.5	67.7	31.7	81.2	57.0	50.0	45.7	41.8	35.8	33.6	83.1
24	2/6/13	11:00 AM	60.0	45.6	70.0	33.3	82.5	54.1	49.3	42.4	38.3	35.3	34.1	81.2
25	2/6/13	12:00 PM	60.0	42.3	64.8	33.2	77.7	51.4	45.3	40.5	37.9	35.4	34.2	77.9
26	2/6/13	1:00 PM	60.0	41.7	62.4	30.8	78.5	50.8	44.8	38.4	35.6	33.0	31.6	77.3
27	2/6/13	2:00 PM	60.0	43.5	70.8	30.5	82.9	51.3	44.1	39.6	36.2	33.2	31.7	79.0
28	2/6/13	3:00 PM	60.0	37.8	57.3	30.2	78.6	45.2	40.6	37.0	34.8	32.4	31.2	73.4
29	2/6/13	4:00 PM	30.5	36.9	55.9	28.9	73.0	44.1	41.0	37.3	33.7	30.7	29.4	69.5

24-Hour Noise Level Measurement - LT-2

11651 Nelson Street, Loma Linda, CA

Larson Davis 720

	Date	Time	Duration	Leq	Lmax	Lmin	LPeak	L2	L8	L25	L50	SEL
1	2/14/12	5:00 PM	60.0	47.0	64.2	39.0	76.5	55.2	51.2	46.4	43.4	82.6
2	2/14/12	6:00 PM	60.0	44.5	64.1	39.3	75.1	50.4	46.7	44.7	43.5	80.1
3	2/14/12	7:00 PM	60.0	46.4	61.6	41.9	73.4	51.6	48.6	46.8	45.5	82.0
4	2/14/12	8:00 PM	60.0	47.1	65.9	41.5	76.4	55.9	49.6	45.9	44.8	82.7
5	2/14/12	9:00 PM	60.0	47.8	65.0	41.1	77.6	54.7	52.0	47.2	45.4	83.4
6	2/14/12	10:00 PM	60.0	49.3	71.8	41.4	96.9	59.2	51.3	46.4	44.8	84.9
7	2/14/12	11:00 PM	60.0	48.7	76.3	39.9	86.8	58.1	50.5	46.6	44.5	84.2
8	2/15/13	12:00 AM	60.0	46.3	65.8	39.4	78.4	52.7	49.2	45.6	43.5	81.9
9	2/15/13	1:00 AM	60.0	46.7	74.5	37.8	99.9	56.5	50.9	43.7	40.8	82.2
10	2/15/13	2:00 AM	60.0	40.7	56.1	38.1	72.9	43.4	42.0	40.9	40.3	76.2
11	2/15/13	3:00 AM	60.0	47.9	74.0	38.3	97.6	57.1	51.7	45.5	41.3	83.5
12	2/15/13	4:00 AM	60.0	42.3	56.5	38.1	67.9	49.9	44.8	42.0	40.2	77.9
13	2/15/13	5:00 AM	60.0	46.5	61.9	39.0	72.6	54.6	50.0	46.2	43.5	82.1
14	2/15/13	6:00 AM	60.0	52.4	68.9	41.5	79.3	62.3	56.5	50.4	46.9	88.0
15	2/15/13	7:00 AM	60.0	55.8	99.5	44.0	126.5	55.3	51.6	50.1	48.7	91.4
16	2/15/13	8:00 AM	60.0	46.3	68.4	40.5	88.7	50.8	48.7	46.9	45.3	81.9
17	2/15/13	9:00 AM	60.0	46.1	68.8	39.7	89.6	53.5	48.7	45.5	43.1	81.7
18	2/15/13	10:00 AM	60.0	44.6	70.9	39.7	92.4	50.5	45.9	43.1	41.8	80.2
19	2/15/13	11:00 AM	60.0	47.7	74.2	39.6	92.9	51.7	46.4	43.1	41.9	83.2
20	2/15/13	12:00 PM	60.0	43.9	68.5	39.4	88.0	50.0	46.5	43.8	41.9	79.5
21	2/15/13	1:00 PM	60.0	47.0	72.6	39.5	94.9	55.8	50.2	45.2	42.8	82.6
22	2/15/13	2:00 PM	60.0	46.7	70.3	38.4	89.4	52.3	45.5	43.0	41.9	82.3
23	2/15/13	3:00 PM	60.0	42.7	64.3	37.8	78.7	48.4	44.6	42.4	41.2	78.3
24	2/15/13	4:00 PM	60.0	43.9	63.4	37.6	74.4	51.9	46.2	42.6	41.0	79.5

24-Hour Noise Level Measurement - LT-3

34132 Ogrady Court, Beaumont, CA

Larson Davis 820

	Date	Time	Duration	Leq	Lmax	Lmin	Peak	L2	L8	L25	L50	L90	L99	SEL
1	2/14/13	4:00 PM	60.0	58.3	77.8	36.0	91.0	69.9	57.0	49.6	45.2	40.1	37.8	93.8
2	2/14/13	5:00 PM	60.0	44.8	73.6	36.2	87.0	51.3	48.3	44.8	41.8	38.6	37.2	80.4
3	2/14/13	6:00 PM	60.0	43.1	72.8	36.7	85.8	47.1	44.4	41.9	40.4	38.8	37.9	78.6
4	2/14/13	7:00 PM	60.0	49.6	67.9	35.5	86.7	56.9	56.4	43.0	40.4	38.3	37.1	85.2
5	2/14/13	8:00 PM	60.0	44.6	71.1	35.1	78.6	51.4	45.3	43.0	41.3	39.1	37.4	80.2
6	2/14/13	9:00 PM	60.0	40.1	54.8	30.8	66.2	46.4	43.1	40.6	38.8	33.7	31.3	75.7
7	2/14/13	10:00 PM	60.0	39.2	55.9	29.5	69.2	47.1	41.9	39.1	37.3	32.6	30.5	74.8
8	2/14/13	11:00 PM	60.0	47.1	67.2	35.1	76.8	55.6	50.0	44.3	40.8	37.4	36.2	82.7
9	2/15/13	12:00 AM	60.0	45.4	68.2	35.0	77.0	52.0	48.4	45.0	41.3	37.2	36.0	80.9
10	2/15/13	1:00 AM	60.0	37.9	49.1	33.9	66.7	41.4	39.7	38.4	37.5	36.1	35.1	73.5
11	2/15/13	2:00 AM	60.0	41.2	60.5	34.1	70.3	48.3	45.2	40.5	38.2	36.2	35.1	76.7
12	2/15/13	3:00 AM	60.0	41.3	62.3	34.4	72.9	47.6	45.0	40.7	38.8	36.6	35.3	76.8
13	2/15/13	4:00 AM	60.0	42.8	58.8	35.4	68.9	50.8	47.4	41.5	39.6	37.5	36.3	78.3
14	2/15/13	5:00 AM	60.0	40.9	64.3	34.6	75.6	43.7	41.8	40.6	39.5	37.8	36.1	76.5
15	2/15/13	6:00 AM	60.0	47.3	62.4	35.8	75.7	54.8	51.5	48.6	43.7	39.3	37.3	82.9
16	2/15/13	7:00 AM	60.0	46.9	69.4	34.7	86.5	54.7	50.5	46.6	41.7	37.4	35.9	82.4
17	2/15/13	8:00 AM	60.0	42.6	73.2	32.9	87.2	47.7	43.4	39.0	37.4	35.4	34.2	78.2
18	2/15/13	9:00 AM	60.0	40.6	63.0	29.5	75.3	47.2	44.8	41.9	37.2	31.5	30.2	76.2
19	2/15/13	10:00 AM	60.0	46.9	73.0	35.4	91.4	54.0	50.4	47.0	44.5	39.3	37.0	82.5
20	2/15/13	11:00 AM	60.0	46.0	66.7	35.4	80.5	52.2	49.4	46.8	44.4	39.5	36.8	81.6
21	2/15/13	12:00 PM	60.0	47.0	66.7	37.6	87.3	53.6	50.4	47.3	44.8	41.1	39.1	82.6
22	2/15/13	1:00 PM	60.0	49.7	81.8	38.4	103.9	56.1	52.3	49.1	46.7	42.5	40.2	85.3
23	2/15/13	2:00 PM	60.0	55.7	84.1	35.7	100.5	66.3	57.3	47.6	43.4	38.8	37.1	91.3
24	2/15/13	3:00 PM	60.0	54.9	77.7	34.8	92.2	64.8	59.5	51.7	44.4	39.4	37.5	90.5

24-Hour Noise Level Measurement - LT-4

503 Cedar View Drive, Beaumont, CA

Larson Davis 720

	Date	Time	Duration	Leq	Lmax	Lmin	LPeak	L2	L8	L25	L50	SEL
1	2/13/13	10:00 AM	60	45.2	64.5	37.1	76.0	51.7	48.4	45.5	43.1	80.8
2	2/13/13	11:00 AM	60	48.8	76.2	37.4	84.8	54.2	49.9	47.1	44.8	84.4
3	2/13/13	12:00 PM	60	50.5	75.6	37.7	91.4	56.6	50.3	47.2	45.3	86.1
4	2/13/13	1:00 PM	60	47.8	75.9	38.6	90.1	53.8	50.6	47.9	45.6	83.3
5	2/13/13	2:00 PM	60	50.5	79.5	37.9	89.0	54.7	51.4	48.8	46.9	86.1
6	2/13/13	3:00 PM	60	48.8	66.6	38.3	80.5	55.6	51.8	48.9	46.9	84.4
7	2/13/13	4:00 PM	60	49.1	67.8	37.9	81.3	55.7	52.2	49.4	47.3	84.7
8	2/13/13	5:00 PM	60	49.8	69.9	39.1	81.8	55.6	52.2	49.7	47.9	85.4
9	2/13/13	6:00 PM	60	49.9	70.1	39.4	93.6	56.2	52.9	50.5	48.4	85.5
10	2/13/13	7:00 PM	60	48.0	62.4	38.7	77.1	53.9	51.4	48.8	46.4	83.6
11	2/13/13	8:00 PM	60	49.5	89.7	40.4	118.6	52.1	50.1	47.9	45.9	85.1
12	2/13/13	9:00 PM	60	46.8	67.7	39.8	88.4	52.5	49.7	47.0	44.9	82.4
13	2/13/13	10:00 PM	60	45.0	65.6	38.5	91.9	50.7	48.1	45.6	43.5	80.6
14	2/13/13	11:00 PM	60	43.8	59.4	39.1	69.9	49.0	46.0	43.8	42.4	79.4
15	2/14/13	12:00 AM	60	44.5	61.1	38.5	71.8	51.4	47.7	44.3	42.5	80.1
16	2/14/13	1:00 AM	60	44.2	60.2	39.0	70.9	47.9	46.5	44.9	43.3	79.8
17	2/14/13	2:00 AM	60	44.8	60.6	38.1	72.6	50.8	47.4	44.9	43.1	80.4
18	2/14/13	3:00 AM	60	49.0	91.7	37.2	119.7	49.4	45.2	42.5	40.8	84.5
19	2/14/13	4:00 AM	60	44.4	60.1	36.7	71.7	52.3	49.0	44.1	40.8	80.0
20	2/14/13	5:00 AM	60	46.9	69.7	37.6	79.4	54.8	51.3	46.7	42.8	82.5
21	2/14/13	6:00 AM	60	50.5	63.5	40.6	76.0	56.4	53.9	51.4	49.0	86.1
22	2/14/13	7:00 AM	60	51.8	65.8	41.9	74.9	57.1	54.8	52.8	50.8	87.4
23	2/14/13	8:00 AM	60	47.9	67.5	39.9	88.0	54.1	50.7	48.2	46.2	83.5
24	2/14/13	9:00 AM	60	48.0	66.0	38.9	87.4	56.4	50.8	46.8	44.4	83.6
25	2/14/13	10:00 AM	60	46.0	64.3	38.0	78.2	53.0	49.1	45.9	43.8	81.6
26	2/14/13	11:00 AM	60	46.7	69.8	39.2	92.6	52.7	49.3	47.0	45.1	82.3
27	2/14/13	12:00 PM	60	47.5	65.2	39.7	78.6	55.1	50.0	46.9	45.0	83.1
28	2/14/13	1:00 PM	60	47.9	70.0	40.1	92.2	54.0	51.3	48.4	46.1	83.5

24-Hour Noise Level Measurement - LT-5

55730 San Pierre Road, White Water, CA

Larson Davis 820

	Date	Time	Duration	Leq	Lmax	Lmin	Peak	L2	L8	L25	L50	L90	L99	SEL
1	2/13/13	11:00 AM	60.0	47.1	80.4	36.6	92.3	54.1	52.1	44.8	41.6	38.9	37.4	82.6
2	2/13/13	12:00 PM	60.0	45.3	65.1	37.3	82.0	53.0	48.2	44.5	42.4	40.1	38.5	80.9
3	2/13/13	1:00 PM	60.0	49.0	69.9	35.9	81.7	58.8	50.9	45.1	42.7	39.7	38.0	84.6
4	2/13/13	2:00 PM	60.0	53.5	76.8	38.7	90.3	63.2	49.9	45.9	44.3	42.0	40.3	89.1
5	2/13/13	3:00 PM	60.0	47.6	71.4	37.7	88.9	53.4	49.3	46.6	44.6	41.6	39.3	83.2
6	2/13/13	4:00 PM	60.0	48.9	80.7	39.7	102.0	55.1	49.1	46.6	45.0	42.7	41.1	84.5
7	2/13/13	5:00 PM	60.0	50.8	73.0	42.0	88.6	56.1	52.9	50.4	48.7	46.1	44.1	86.4
8	2/13/13	6:00 PM	60.0	52.5	76.1	44.4	89.1	57.6	55.0	52.4	50.8	48.3	46.2	88.1
9	2/13/13	7:00 PM	60.0	53.0	78.2	44.9	92.2	59.2	55.7	52.5	50.6	48.2	46.5	88.6
10	2/13/13	8:00 PM	60.0	56.7	67.4	49.1	78.7	62.4	59.8	57.4	55.5	52.5	50.7	92.3
11	2/13/13	9:00 PM	60.0	52.7	68.9	45.4	87.9	56.7	55.1	53.5	52.1	49.4	47.5	88.3
12	2/13/13	10:00 PM	60.0	52.7	65.2	44.2	75.4	57.0	55.3	53.6	52.0	48.9	46.4	88.3
13	2/13/13	11:00 PM	60.0	52.6	65.4	43.4	75.4	58.2	56.0	53.5	51.2	47.6	45.5	88.2
14	2/14/13	12:00 AM	60.0	51.7	65.4	42.5	77.2	57.0	55.2	52.8	50.2	46.6	44.1	87.3
15	2/14/13	1:00 AM	60.0	52.9	66.0	41.9	77.0	59.2	56.8	53.7	50.8	47.0	44.1	88.5
16	2/14/13	2:00 AM	60.0	49.8	59.3	41.1	72.5	54.2	52.5	50.8	49.2	46.2	43.4	85.4
17	2/14/13	3:00 AM	60.0	50.8	67.6	42.7	85.6	57.2	53.9	51.0	49.0	46.2	44.6	86.3
18	2/14/13	4:00 AM	60.0	55.0	68.7	47.0	77.8	59.8	57.7	55.9	54.1	51.2	48.6	90.6
19	2/14/13	5:00 AM	60.0	56.8	69.2	48.9	79.3	60.7	59.4	57.7	56.1	53.5	51.3	92.4
20	2/14/13	6:00 AM	60.0	57.5	82.9	48.7	97.3	61.7	59.5	57.6	55.4	52.1	50.3	93.1
21	2/14/13	7:00 AM	60.0	60.4	83.9	48.9	100.2	64.6	60.7	58.4	56.8	53.6	51.2	95.9
22	2/14/13	8:00 AM	60.0	52.8	75.1	44.0	89.3	59.1	56.3	53.1	50.3	47.0	45.2	88.4
23	2/14/13	9:00 AM	60.0	63.8	88.3	40.9	104.9	74.0	66.4	61.1	50.1	45.7	43.0	99.3
24	2/14/13	10:00 AM	60.0	52.3	69.2	42.6	89.1	58.5	55.6	52.8	50.7	47.1	44.8	87.9
25	2/14/13	11:00 AM	60.0	52.1	68.0	44.0	87.7	57.8	55.1	52.5	50.5	47.8	46.0	87.6
26	2/14/13	12:00 PM	60.0	55.0	70.6	45.3	91.3	61.6	58.6	55.2	52.9	49.5	47.2	90.6

SHORT-TERM NOISE LEVEL MEASUREMENTS