.LONG CANYON WATER 2015 Water Quality Report

We appreciate having the opportunity to serve you our valued customer. We know that water quality is important to you and we are committed to providing water that meets all the water quality standards. With this in mind, we are pleased to provide this annual water quality report, which includes information about where your water comes from, what it contains and how it compares to State and Federal Standards. In the year 2015 we inadvertently missed one month in obtaining a bacterial sample for state reporting. Conservation of water and security of our water supplies should be, and is, of paramount importance to ourselves and our customers. In this regard, please report any suspicious activity that might threaten our water supply or wasteful activities that will ultimately raise the cost to our customers. If you have any questions, you can contact me.

David Prince (661) 345-6603 6/25/15

General Information About Water

The sources of drinking water (both tap and bottled) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity. Contaminants that may be present in source water include:

MICROBIAL CONTAMINANTS, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

INORGANIC CONTAMINANTS, such as salts and metals, that can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

PESTICIDES and HERBICIDES, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

ORGANIC CHEMICAL CONTAMINANTS, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

RADIOACTIVE CONTAMINANTS, which can be naturally occurring or be the result of oil and gas production and mining activities.

Water Hardness

Water is considered soft if total hardness is less than 75 ppm; moderately hard at 75 to 150 ppm; hard at 150 to 300 ppm; and very hard at 300 ppm or higher. To determine total hardness of your water in grains per gallon, simply divide amount given in parts per million by 17.1.

Recommendation for Those Who May Have Special Water Needs

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised people, such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, those with HIV/AIDS or other immune system disorders, some elderly people, and infants, can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

How to Read the Table

We test your water for more than 100 contaminants for which state and federal standards have been set THIS TABLE LISTS ONLY THOSE THAT WERE DETECTED. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. Environmental Protection Agency's (USEPA's) Safe Drinking Water Hotling at (800) 426-4791. The water quality test results shown in this table are divided into two main sections: those related to "primary standards" and those related to "secondary standards," Primary standards protect public health by limiting the levels of contaminants in drinking water. Secondary standards are limits for substances that could affect the water's taste, odor, and appearance.

Definitions of terms and abbreviations used in the table

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

Maximum Contaminant Lovel (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as are economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set the U.S. Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The level of a disinfectant added for water treatment that may not be exceeded at the consumer's trp.

Notification Level (NL): A health-based advisory level for an unregulated contaminant in drinking water. It is used by DHS to provide guidance to drinking water systems.

Primary Drinking Water Standard or PDWS: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.


Primary Drinking Water Standards						VVeD 1		
RADIOLOGICAL	Year Range	Reporting Units	(SMCL)	PHG (MCLG)	Main Results 2015	Standby results 2005	Source of Substance	
Gross Alpha Particle Activity	2015	pC/L	15	(0)	12.5	20.44	Erosion of natural deposits	
Uranium	2015	pCi/L	20	0.43	18	20.00	Erosion of natural deposits	
INORGANIC CHEMICALS	Year Range	Reporting Units	INCL (SMCL)	PHG (MCLG)	Results	Results	Source of Substances	
Aluminum	2015	ug/L	1000	0.6	ND	130	Erosion of natural deposits; residue from some surface water treatment processes	
Arsenic	2015	ug/L	50	0.004	ND	<2.0	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes	
Berium	2015	ug/L	1000	(2)	π	56	Discharges of oil drilling wastes and from metal refineries, erosion of natural deposits	
Fluoride'	2015	mg/L	2.0	1	0.58	.71	Erosion of natural deposits, water additive that promotes strong teeth; discharge from fertilizer and atuminum factories	
Nickel	2015	ug/L	100	12	ND	<10	Erosion of natural deposits; discharge from metal factories	
Nitrate (es NO ₂) ²	2015	mg/L	44	44	0.86	1.0	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits	
DISINFECTION BY-PRODUCTS	Year Range	Reporting Units	MCL (SMCL)	PHG (MCLG)	Results	Results	Source of Substance	
Total Trihalomethane (TTHM)	2015	ug/L	80	n/a	16	<2	By-product of drinking water chlorination	
OTHER REGULATED SUBSTANCES	Year Range	Reporting Units	AL.	PHG (MCLG)	Results	Results	Source of Substances	
Copper	2015	ug/L	1000	0.17	ND	97	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
Lead	2015	ррт	15	2	ND	9.4	Internal corrosion of household plumbing systems; discharges from industrial manufacturers; erosion of natural deposits	
Secondary Drinking Water Standards and	Unregulated Comp	ounds	 		·	•		
Inorganic Chemicals	Year Range	Reporting Units	MCL (SMCL)	PHG (MCLG)	Results	Results	Source of Substances	
Alkalinity	2015	ppm	n/a	n/a	260	220	Erosion of natural deposits	
Celcium	2015	ppm	n/ a	n/a	73	52	Erosion of natural deposits	
Chloride	2015	ppm	(500)	n/a	28	19	Runofifeaching from natural deposits; seawater influence	
Cotor	2015	UNITS	(15)	n/a	1	6.6	Naturally occurring organic materials	
Hardness	2015	ppm	n/a	n/e	240	170	Erosion of natural deposits	
fron	2015	ppb	(300)	n/a	ND	1200	Leaching from natural deposits, industrial wastes	
Magnesium	2015	ppm	n/a	n/a	14	10	Erosion of natural deposits	
Manganese	2015	ppb	(50)	n/e	20	79	Leaching from natural deposits	
Odor	2015	T.O.N.	3	n/a	ND	ND	Naturally occurring organic materials	
ρH	2015	UNITS	n/a	n/a	8.24	9.19	Inherent characteristic of water	
Potassium	2015	ppm	n/a	n/a	3,3	2.0	Erosion of natural deposits	
Sodium	2015	ppm	n/a	n/a	57	55	Erosion of natural deposits; seawater influence	
Specific Conductance (E.C.)	2015	umhos/cm	(1600)	n/a	679	550	Substances that form natural deposits; seawater influence	
Suffate	2015	ppm	(500)	n/a	57	48	Leaching from natural deposits; industrial wastes	
200809							Runof/leaching from natural deposits	
	2015	ppm	(1000)	n/a	470	1 3/0	Kurof/seaching from natural decests	
Total Dissolved Solids (TDS) Turbidity ³		ppm NTU		n/a		370 6.6	Soil runoff	
Total Dissolved Solids (TDS)	2015		(1000) (5)		0.15	6.6 ND		

- Children who drink water containing fluoride in excess of the state MCL of 2 mg/L may get mottled teeth. MCL compliance is determined by the running annual average of samples collected on a quarterly basis.
- 2. Nitrate in drinking water at levels above 45 ppm is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with specific enzyme deficiencies. If you are caring for an infant or you are pregnant, you should ask advice from your health care provider.
- Turbidity is a measure of the cloudiness of water. We monitor it because it is a good indicator of the effectiveness of our filtration system.

umhos/em = measure of specific conductance
pCi/L = picoCuries per liter (measure of radioactivity)
ppm = parts per million (milligrams per liter)
NTU = nephelometric turbidity unit
ppb = parts per billion (micrograms per liter)
SMCL = secondary maximum contaminant level
ND = none detected
n/a = not arralicable

ATTACHMENT 7

Consumer Confidence Report Certification Form



(to be submitted with a copy of the CCR)

(to certify electronic delivery of the CCR, use the certification form on the State Board's website at http://www.waterboards.ca.gov/drinking water/certlic/drinkingwater/CCR.shtml)

Wate	r Syste	m Name: Long Carryon Water							
Wate	r Syste	m Number: 1500578							
Furth	ler, the	ystem named above hereby certifies that its Consumer Confidence Report was distributed on (date) to customers (and appropriate notices of availability have been given). system certifies that the information contained in the report is correct and consistent with the monitoring data previously submitted to the State Water Resources Control Board, Division Water.							
Certified by:		Signature: DAVID L Prince Signature: Daviel & Prince Title: Pres							
		Phone Number: (641) 3456603 Date: 6/24/16							
		ze report delivery used and good-faith efforts taken, please complete the below by checking t apply and fill-in where appropriate:							
M	CCR metho	was distributed by mail or other direct delivery methods. Specify other direct delivery ds used:							
	"Good faith" efforts were used to reach non-bill paying consumers. Those efforts includ following methods:								
		Posting the CCR on the Internet at www							
		Mailing the CCR to postal patrons within the service area (attach zip codes used)							
		Advertising the availability of the CCR in news media (attach copy of press release)							
		Publication of the CCR in a local newspaper of general circulation (attach a copy of the published notice, including name of newspaper and date published)							
		Posted the CCR in public places (attach a list of locations)							
		Delivery of multiple copies of CCR to single-billed addresses serving several persons, such as apartments, businesses, and schools							
		Delivery to community organizations (attach a list of organizations)							
		Other (attach a list of other methods used)							
		estems serving at least 100,000 persons: Posted CCR on a publicly-accessible internet site at lowing address: www							
	For pr	rivately-owned utilities: Delivered the CCR to the California Public Utilities Commission							

This form is provided as a convenience and may be used to meet the certification requirement of section 64483(c), California Code of Regulations.

ীৰ্ত্তালয়ক্ষাৰ্থ হৈছিল কৈ শিক্ষাৰ্থ কৰিছিল। কিং চিন্দু কি প্ৰতিক্ৰিয়াৰ কিছিল। কিং চিন্দু কৰিছিল কিছিল। স্থানিক স্থানিক বুলিক

in Maider (Indicedus) del propose policida meditare del 1990 de monocion discondida Name. Antidata del del condida de como con esta de como contrata de condida de condida de condida de condida de cond

A TOTAL OF THE PROPERTY OF THE	an eigen gammade på partiet et en en Little for beak op stort til		eragi (5 m n. 1948), seedal Light (6 m n.	
		•		dangerer i
कार कर उन्हों के लोक ने कार्य कार्य कार्य कार्य कार्य कार्य के लिए हैं में कार्य पहुंचे कार्य की की की किए कार्य के किए कार्य की कार्य के किए की कार्य की की की की कार्य की कार्य की कार्य की की कार्य की की की कार्य की किए की	મેક્કિક કેઇ ભૂતિ છે. કેઇક્કેડ્રે જેઇ એક હો તે મેડિક્કિક્કેડ ઉન્હોં તે હિંદુ એક જે કી છે. જેઇક્કેડ	nog oldar ta g Lodaffi oğluşt	L Le Char spilor scorector spilotes e bits seed	The Administration of the control of
	S. G. Mari	3	DARBURS (F	
		Market Committee	160.4 V	
E com to freed the			est pacific	
्राच्यां के कार्यां के क्षेत्रकार के क्षेत्रकार के क्षेत्रकार के कार्यां के कार्यां के कार्यां के कार्यां के क त्रिक्ष के किए कि	i postalisti (1965). Para spanjalisti (1964) i para spanjalisti (1964).	त्राह्म स्थापनित्र । १५०० मार्च विकास सुर्वे		indiana dia Larah 1831
. ค.สายการ การสโรด เธ ดรศาจี		ار المعالج والمعالج المعالج ال المعالج المعالج المعال	n dagiga kikin Kangiya kikin	
en e	y and state of	torome dika:	ti da sala gravena	1
Grassianal of this statem for	१९५१ च्या १ वस्तु १ वस्तु १९ १८ वस्तु १९ १९ १९	nestyczynos fi	i Oggilegangk	
y vol. 1 which is got on the said	$ \Psi^{(\bullet)}\rangle = \Psi^{(\bullet)}\rangle_{\mathcal{A}(\mathcal{A})} = \Psi^{(\bullet)}\rangle_{\mathcal{A}(\mathcal{A})} = \Psi^{(\bullet)}\rangle_{\mathcal{A}(\mathcal{A})}$	etay sedan	المحاجران عود يرقالها	
Starte syrrica di Englado alfosti jos (installeto, s	The state of the same from			
	oleren i Hilliader be	er is awkapa	alithyd Lyler?	<u>;]</u>
ं क्रिक । इस रहा स्व विकास केंद्र श्रीकार हैं है उन्हों है है	turk 1966 olganian APE Bosan	t to a religió delegió Construcción delegió	iem drivier diese 1 des militaries	
(modernie)	eg dae Gebook in die bestellt aan Rie	eseri eghinat	and the state of the	
	कृष्टिक अस्ति । कृष्टिक अस्ति ।		A CONTRACTOR OF THE PROPERTY O	
o also care of additioners of facility to y	<mark>gild</mark> to be in the persent. The control of the con	g ten fill den g	in of the parties.	मा विकासिक । मेन्द्रिकेटी

anti terebugan pada 1995 an telaharan salam sebagai an perpebuah dari sababan bahat belat perpebuah perpebuah An inggalan 1995 sebagai perbebagai di pendian salam pendian salam 1998 di Sebagai Pendian Salam salam salam p

respondences in a little of a relativity relative and the little of a relativity of the little of the relativity of the little o