Form Approved OMB No. 2137-0522 Expires: 1/31/2023



U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration

# ANNUAL REPORT FOR CALENDAR YEAR 2019 NATURAL OR OTHER GAS TRANSMISSION and GATHERING SYSTEMS

Initial Date Submitted	03/11/2020
Report Submission Type	INITIAL
Date Submitted	

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2137-0522. Public reporting for this collection of information is estimated to be approximately 42 hours per response, including the time for reviewing instructions, gathering the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, PHMSA, Office of Pipeline Safety (PHP-30) 1200 New Jersey Avenue, SE, Washington, D.C. 20590.

**Important:** Please read the separate instructions for completing this form before you begin. They clarify the information requested and provide specific examples. If you do not have a copy of the instructions, you can obtain one from the PHMSA Pipeline Safety Community Web Page at <a href="http://www.phmsa.dot.gov/pipeline/library/forms">http://www.phmsa.dot.gov/pipeline/library/forms</a>.

http://www.phmsa.dot.gov/pipeline/library/forms.							
PART A - OPERATOR INFORMATION	DOT USE ONLY	20200833 - 37525					
1. OPERATOR'S 5 DIGIT IDENTIFICATION NUMBER (OPID)	2. NAME OF OPERA						
31697							
3. RESERVED	4. HEADQUARTERS ADDRESS:						
	P.O. BOX 230 Street Address						
	ACAMPO City						
	95220						
5. THIS REPORT PERTAINS TO THE FOLLOWING COMMODITY GROUP: (Select Commodity Group based on the predominant gas carried and complete the report for that Commodity Group. File a separate report for each Commodity Group included in this OPID.)							
Natural Gas							
6. RESERVED							
7. FOR THE DESIGNATED "COMMODITY GROUP", THE PIPELINES AND/OR PIPELINE FACILITIES INCLUDED WITHIN THIS OPID ARI (Select one or both)							
	INTERstate pipeline – List all of the States and OSC portions in which INTERstate pipelines and/or pipeline facilities included under this OPID exist. etc.						
INTRAstate pipeline – List all of the States in which INTRAstate pipelines and or pipeline facilities included under this OPID exist. <b>CALIFORNIA</b> etc.							
8. RESERVED							

For the designated Commodity Group, PARTs B and D will be calculated based on the data entered in Parts L and P respectively. Complete Part C one time for all pipelines and/or pipeline facilities – both INTERstate and INTRAstate - included within this OPID.

PART B – TRANSMISSION PIPELINE HCA MILES							
Number of HCA Miles							
Onshore 1.44							
Offshore 0							
Total Miles	1.44						

PART C - VOLUME TRANSPORTED IN TRAN PIPELINES (ONLY) IN MILLION SCF PER YEA (excludesTransmission lines of Gas Distribu	AR	Check this box and do not complete PART C if this report only includes gathering pipelines or transmission lines of gas distribution systems.					
		Onshore	Offshore				
Natural Gas		53039					
Propane Gas							
Synthetic Gas							
Hydrogen Gas							
Landfill Gas							
Other Gas - Name:							

PART D - MILES OF STEEL PIPE BY CORROSION PROTECTION											
	Steel Cathodically Steel Cathodically protected unprotected							-			
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite <sup>1</sup>	Other	Total Miles	
Transmission											
Onshore	0	44.98	0	0	0	0	0	0	0	44.98	
Offshore	0	0	0	0	0	0	0	0	0	0	
Subtotal Transmission	0	44.98	0	0	0	0	0	0	0	44.98	
Gathering											
Onshore Type A	0	0	0	0	0	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	0	0	0	0	0	
Offshore	0	0	0	0	0	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0	
Total Miles	0	44.98	0	0	0	0	0	0	0	44.98	

<sup>&</sup>lt;sup>1</sup>Use of Composite pipe requires a PHMSA Special Permit or waiver from a State

PART F - RESERV	ED

For the designated Commodity Group, complete PARTs F and G one time for all INTERstate pipeline facilities included within this OPID and multiple times as needed for the designated Commodity Group for each State in which INTRAstate pipeline facilities included within this OPID exist. Part F "WITHIN AN HCA SEGMENT" data and Part G may be completed only if HCA Miles in Part L is greater than zero.

PARTs F and G							
The data re	eported in these PARTs applies to: (select only one)						
	Interstate pipelines/pipeline facilities						
	Intrastate pipelines/pipeline facilities in the State of CALIFORNIA (complete for each State)						

RT	F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
. М	ILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
	a. Corrosion or metal loss tools	
	b. Dent or deformation tools	
	c. Crack or long seam defect detection tools	
	d. Any other internal inspection tools, specify other tools:	
	Internal Inspection Tools - Other	
	e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines $a + b + c + d$ )	
2. A(	CTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
	<ul> <li>a. Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.</li> </ul>	
	<ul> <li>Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.</li> </ul>	
	c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	
	1. "Immediate repair conditions" [192.933(d)(1)]	
	2. "One-year conditions" [192.933(d)(2)]	
	3. "Monitored conditions" [192.933(d)(3)]	
	4. Other "Scheduled conditions" [192.933(c)]	
3. MI	ILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
	a. Total mileage inspected by pressure testing in calendar year.	
	b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	
	c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	
	d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	
4. MI	ILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
	a. Total mileage inspected by each DA method in calendar year.	
	1. ECDA	
	2. ICDA	
	3. SCCDA	
	b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
	1. ECDA	
	2. ICDA	
	3. SCCDA	
	c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
	1. "Immediate repair conditions" [192.933(d)(1)]	

Form Approved OMB No. 2137-0522 Expires: 1/31/2023

	Expires: 1/31/2023
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUE	S
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	
1.Other Inspection Techniques	
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933©]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + $2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4$ )	
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	
PART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA SOUNLY)	gment miles
a. Baseline assessment miles completed during the calendar year.	0
b. Reassessment miles completed during the calendar year.	0
c. Total assessment and reassessment miles completed during the calendar year.	0

For the designated Commodity Group, complete PARTS H, I, J, K, L, M, P Q and R covering INTERstate pipelines and/or pipeline facilities for each State in which INTERstate systems exist within this OPID and again covering INTRAstate pipelines and/or pipeline facilities for each State in which INTRAstate systems exist within this OPID.

exist within this OPID.  PARTs H, I, J, K, L, M, P, Q, and R											
The data reported in these PARTs applies to: (select only one)											
INTRASTATE pipelines/pipeline facilities CALIFORNIA											
PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)											
	NPS 4 or less	6	8	10	12	14	16	18	20		
	0	0	0.13	0	2.97	0	6.33	0	1.07		
	22	24	26	28	30	32	34	36	38		
	0	31	0	0	3.48	0	0	0	0		
Onshore	40	42	44	46	48	52	56	58 and over			
	0	0	0	0	0	0	0	0			
Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;											
44.98	Total Miles o	of Onshore Pipe	e – Transmiss	ion							
NPS 4 6 8 10 12 14 16 18								20			
	0	0	0	0	0	0	0	0	0		
	22	24	26	28	30	32	34	36	38		
	0	0	0	0	0	0	0	0	0		
Offshore	40	42	44	46	48	52	56	58 and over			
	0	0	0	0	0	0	0	0			
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;										
0	Total Miles o	of Offshore Pipe	e – Transmiss	ion							
PART I - MI	LES OF GA	THERING F	PIPE BY NO	OMINAL PIF	PE SIZE (NF	PS)					
	NPS 4 or less	6	8	10	12	14	16	18	20		
Onshore	0	0	0	0	0	0	0	0	0		
Type A	22	24	26	28	30	32	34	36	38		
	0	0	0	0	0	0	0	0	0		
40 42 44 46 48 52 56 58 and over											

-								Expli	es: 1/31/2023			
0	0	0	0	0	0	0	0					
Additional Si	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;											
Total Miles of	otal Miles of Onshore Type A Pipe – Gathering											
NPS 4 or less         6         8         10         12         14         16         18         20												
0	0	0	0	0	0	0		0	0			
22	24	26	28	30	32	34		36	38			
0	0	0	0	0	0	0		0	0			
40	42	44	46	48	52	56	58 and over					
0	0	0	0	0	0	0	0					
Additional Si	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;											
Total Miles of	of Onshore Typ	e B Pipe – Ga	thering									
NPS 4 or less	6	8	10	12	14	16		18	20			
0	0	0	0	0	0	0		0	0			
22	24	26	28	30	32	34		36	38			
0	0	0	0	0	0	0		0	0			
40	42	44	46	48	52	56	58 and over					
0	0	0	0	0	0	0	0					
Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;												
Additional O	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;											
	Additional Si Total Miles of NPS 4 or less 0 40 40 Additional Si Total Miles of NPS 4 or less 0 22 0 40 40 40 0 0 40 0 0 0 0	Additional Sizes and Miles  Total Miles of Onshore Typ  NPS 4 or less 0 0 0  22 24 0 0 0  Additional Sizes and Miles  Total Miles of Onshore Typ  NPS 4 or less 0 0 0  22 24 0 0 0  Additional Sizes and Miles  Total Miles of Onshore Typ  NPS 4 or less 0 0 0  22 24 0 0 0  40 42 0 0	Additional Sizes and Miles (Size – Miles;)  Total Miles of Onshore Type A Pipe – Galoriess	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0  Total Miles of Onshore Type A Pipe – Gathering  NPS 4	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0  Total Miles of Onshore Type A Pipe – Gathering  NPS 4 or less	Additional Sizes and Miles (Size – Miles;): 0 - 0;	Additional Sizes and Miles (Size – Miles;): 0 - 0;	Additional Sizes and Miles (Size – Miles;): 0 - 0;	0         0			

# PART J - MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	0	0	0
Offshore						
Subtotal Transmission	0	0	0	0	0	0
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore						
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0	0	0	0
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	0	0	44.79	0.19		44.98
Offshore						
Subtotal Transmission	0	0	44.79	0.19		44.98
Gathering						

Form Approved OMB No. 2137-0522 Expires: 1/31/2023

0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	44.79	0.19	44.98
	0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		

		CLASS LOCATION							
ONSHORE	Class I	Class 2	Class 3	Class 4	1				
Steel pipe Less than 20% SMYS	0	0	0	0	0				
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	0	0	0	0	0				
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0				
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	3.32	0.39	1.37	0	5.08				
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	28.37	4.85	0.07	0	33.29				
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	5.92	0.69	0	0	6.61				
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0				
Steel pipe Greater than 80% SMYS	0	0	0	0	0				
Steel pipe Unknown percent of SMYS	0	0	0	0	0				
All Non-Steel pipe	0	0	0	0	0				
Onshore Totals	37.61	5.93	1.44	0	44.98				
OFFSHORE	Class I				-				
Less than or equal to 50% SMYS	0								
Greater than 50% SMYS but less than or equal to 72% SMYS	0								
Steel pipe Greater than 72% SMYS	0								
Steel Pipe Unknown percent of SMYS	0								
All non-steel pipe	0								
Offshore Total	0				0				
Total Miles	37.61				44.98				

## PART L - MILES OF PIPE BY CLASS LOCATION

		Class L	Total Class Location	HCA Miles in the IMP						
	Class I Class 2 Class 3 Class 4					Program				
Transmission										
Onshore	37.61	5.93	1.44	0	44.98	1.44				
Offshore	0	0	0	0	0					
Subtotal Transmission	37.61	5.93	1.44	0	44.98					
Gathering										

Form Approved OMB No. 2137-0522 Expires: 1/31/2023

Total Miles	37.61	5.93	1.44	0	44.98	1.44
Subtotal Gathering	0	0	0	0	0	
Offshore	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Onshore Type A	0	0	0	0	0	

### PART M – FAILURES, LEAKS, AND REPAIRS

#### PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

		Transmissi	on Leaks,	and Failures			Gathering	g Leaks		
		Lea	ks		Failures in	Onshor	e Leaks	Offshore Leaks		
	Onsh	ore Leaks	Offsh	ore Leaks HCA						
Cause	HCA	Non-HCA	HCA	Non-HCA	Segments	Type A	Type B			
External Corrosion	0	0	0	0	0	0	0	0		
Internal Corrosion	0	0	0	0	0	0	0	0		
Stress Corrosion Cracking	0	0	0	0	0	0	0	0		
Manufacturing	0	0	0	0	0	0	0	0		
Construction	0	0	0	0	0	0	0	0		
Equipment	0	0	0	0	0	0	0	0		
Incorrect Operations	0	0	0	0	0	0	0	0		
Third Party Damage/Mechanical Damage										
Excavation Damage	0	0	0	0	0	0	0	0		
Previous Damage (due to Excavation Activity)	0	0	0	0	0	0	0	0		
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	0		
Weather Related/Other Ou	tside Fo	rce				-				
Natural Force Damage (all)	0	0	0	0	0	0	0	0		
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	0		
Other	0	0	0	0	0	0	0	0		
Total	0	0	0	0	0	0	0	0		

<b>Transmission</b>	0	Gathering	0
---------------------	---	-----------	---

#### PART M3 - LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR

Transmission		Gathering				
		Onshore Type A	0			
Onshore	0	Onshore Type B	0			
OCS	0	OCS	0			
Subtotal Transmission	0	Subtotal Gathering	0			
Total		0				

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS										
		thodically ected	Steel Cat unpro	hodically tected						
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite <sup>1</sup>	Other <sup>2</sup>	Total Miles
Transmission										
Onshore	0	44.98	0	0	0	0	0	0	0	44.98
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	44.98	0	0	0	0	0	0	0	44.98
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	44.98	0	0	0	0	0	0	0	44.98

<sup>&</sup>lt;sup>1</sup>Use of Composite pipe requires PHMSA Special Permit or waiver from a State <sup>2</sup>specify Other material(s):

	(a)(1) Total	(a)(1) Incomplete	(a)(2) Total	(a)(2) Incomplete	(a)(3) Total	(a)(3) Incomplete	(a)(4) Total	(a)(4) Incomplete	(c) Total	(c) Incomplete	(d) Total	(d) Incomplete	Other <sup>1</sup> Total	Other Incomplete
	Total	Records	Total	Records	Total	Records	Total	Records	Total	Records	rotai	Records	Total	Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	37.61		0		0		0		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	5.93		0		0		0		0		0		0	
Class 3 (in HCA)	1.44	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Tota	44.98	0	0	0	0	0	0	0	0	0	0	0	0	0
Grand Total	-	-		-	-	-		44.98		-		-	=	-
Sum of Total row	for all "	Incomple	te Red	cords" colu	mns			0						
<sup>1</sup> Specify Other m	ethod(s)	:							_					
Class 1 (in HCA)						Class	class 1 (not in HCA)							
Class 2 (in HCA)							Class	2 (not in HC	A)					
Class 3 (in HCA)							Class	3 (not in HC	A)					
Class 4 (in HCA)	CA) Class 4 (not in HCA)													

	PT ≥ 1.	25 MAOP	1.25 MAOI	P > PT ≥ 1.1 MAOP	PT < 1.1 or No PT		
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	
Class 1 in HCA	0	0	0	0	0	0	
Class 2 in HCA	0	0	0	0	0	0	
Class 3 in HCA	1.44	0	0	0	0	0	
Class 4 in HCA	0	0	0	0	0	0	
in HCA subTotal	1.44	0	0	0	0	0	
Class 1 not in HCA	37.61	0	0	0	0	0	
Class 2 not in HCA	5.93	0	0	0	0	0	
Class 3 not in HCA	0	0	0	0	0	0	
Class 4 not in HCA	0	0	0	0	0	0	
not in HCA subTotal	43.54	0	0	0	0	0	
Total	44.98	0	0	0	0	0	
PT ≥ 1.25 MAOP Tota	al		44.98	Total Miles Internal In	spection ABLE	44.98	
1.25 MAOP > PT ≥ 1.1 MAOP Total		0	Total Miles Internal Inspection NOT ABLE		0		
PT < 1.1 or No PT To	tal		0		Grand Total	44.98	
		Grand Total	44.98				

For the designated Commodity Group, complete PART N one time for all of the pipelines and/or pipeline facilities included within this OPID, and then also PART O if any gas transmission pipeline facilities included within this OPID have Part L HCA mile value greater than zero.

PART N - PREPARER SIGNATURE	
Gregory Clark	<b>(209)368-9277</b> Telephone Number
Preparer's Name(type or print)	·
Compliance Manager	
Preparer's Title	
gclark@lodistorage.com	
Preparer's E-mail Address	
PART O - CERTIFYING SIGNATURE (applicable only to PARTs B, F, G, and M1)	
	(403)513-8657 Telephone Number
Mathieu Fournier	Totophone Hambot
matrica i ourner	
Senior Executive Officer's name certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)	
VP, Engineering & Operations	
Senior Executive Officer's title certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)	

mathieu.fournier@rockpointgs.com

Senior Executive Officer's E-mail Address