Form Approved OMB No. 2137-0522 Expires: 1/31/2023



U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration

ANNUAL REPORT FOR CALENDAR YEAR 2020 NATURAL OR OTHER GAS TRANSMISSION and GATHERING SYSTEMS

Initial Date Submitted	03/15/2021
Report Submission Type	INITIAL
Date Submitted	

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2137-0522. Public reporting for this collection of information is estimated to be approximately 42 hours per response, including the time for reviewing instructions, gathering the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, PHMSA, Office of Pipeline Safety (PHP-30) 1200 New Jersey Avenue, SE, Washington, D.C. 20590.

Important: Please read the separate instructions for completing this form before you begin. They clarify the information requested and provide specific examples. If you do not have a copy of the instructions, you can obtain one from the PHMSA Pipeline Safety Community Web Page at http://www.phmsa.dot.gov/pipeline/library/forms.

http://www.phm	nsa.dot.gov/pipeline/library/forms.							
PART A - OPE	RATOR INFORMATION	DOT USE ONLY 20211258 - 39581						
1. OPERATOR	S'S 5 DIGIT IDENTIFICATION NUMBER (OPID)	2. NAME OF OPERATOR:						
3169	7	LODI GAS STORAGE, LLC						
3. RESERVED	•	4. HEADQUARTERS	S ADDRESS:					
		P.O. BOX 230 Street Address						
		ACAMPO City						
		State: CA Zip Code: 95220						
	RT PERTAINS TO THE FOLLOWING COMMODITY (the report for that Commodity Group. File a separate re							
6. RESERVED								
7. FOR THE D (Select one or l	ESIGNATED "COMMODITY GROUP", THE PIPELIN	ES AND/OR PIPELINE	FACILITIES INCLUDED WITHIN THIS OPID ARE:					
	INTERstate pipeline – List all of the States pipelines and/or pipeline facilities included							
	INTRAstate pipeline – List all of the States facilities included under this OPID exist. C .		ate pipelines and or pipeline					
8. RESERVED								

For the designated Commodity Group, PARTs B and D will be calculated based on the data entered in Parts L and P respectively. Complete Part C one time for all pipelines and/or pipeline facilities – both INTERstate and INTRAstate - included within this OPID.

PART B – TRANSMISSI	PART B – TRANSMISSION PIPELINE HCA MILES						
	Number of HCA Miles						
Onshore	1.44						
Offshore	0						
Total Miles	1.44						

PART C - VOLUME TRANSPORTED IN TRAN PIPELINES (ONLY) IN MILLION SCF PER YEA (excludesTransmission lines of Gas Distribution)	AR .	Check this box and do not complete PART C if this report only includes gathering pipelines or transmission lines of gas distribution systems.				
		Onshore	Offshore			
Natural Gas		40056				
Propane Gas						
Synthetic Gas						
Hydrogen Gas						
Landfill Gas						
Other Gas - Name:						

PART D - MILES OF S	PART D - MILES OF STEEL PIPE BY CORROSION PROTECTION											
	Steel Cathodically protected		Steel Cathodically unprotected									
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other	Total Miles		
Transmission												
Onshore	0	44.98	0	0	0	0	0	0	0	44.98		
Offshore	0	0	0	0	0	0	0	0	0	0		
Subtotal Transmission	0	44.98	0	0	0	0	0	0	0	44.98		
Gathering												
Onshore Type A	0	0	0	0	0	0	0	0	0	0		
Onshore Type B	0	0	0	0	0	0	0	0	0	0		
Offshore	0	0	0	0	0	0	0	0	0	0		
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0		
Total Miles	0	44.98	0	0	0	0	0	0	0	44.98		

¹Use of Composite pipe requires a PHMSA Special Permit or waiver from a State

PART	DEC	EDI	

For the designated Commodity Group, complete PARTs F and G one time for all INTERstate pipeline facilities included within this OPID and multiple times as needed for the designated Commodity Group for each State in which INTRAstate pipeline facilities included within this OPID exist. Part F "WITHIN AN HCA SEGMENT" data and Part G may be completed only if HCA Miles in Part L is greater than zero.

PARTs F a	nd G
The data re	eported in these PARTs applies to: (select only one)
	Interstate pipelines/pipeline facilities
	Intrastate pipelines/pipeline facilities in the State of CALIFORNIA (complete for each State)

MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	0.8
b. Dent or deformation tools	0.8
c. Crack or long seam defect detection tools	
d. Any other internal inspection tools, specify other tools:	
Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	1.6
CTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
 Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation. 	
 Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment. 	
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
IILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	
IILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	
1. ECDA	
2. ICDA	
3. SCCDA	
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
1. ECDA	
2. ICDA	
3. SCCDA	

Form Approved OMB No. 2137-0522 Expires: 1/31/2023

	Expires: 1/31/2023
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUE	s
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	
1.Other Inspection Techniques	
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933©]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	1.6
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + $2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4$)	
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	
PART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA SONLY)	gment miles
a. Baseline assessment miles completed during the calendar year.	0
b. Reassessment miles completed during the calendar year.	0
c. Total assessment and reassessment miles completed during the calendar year.	0

For the designated Commodity Group, complete PARTS H, I, J, K, L, M, P Q and R covering INTERstate pipelines and/or pipeline facilities for each State in which INTERstate systems exist within this OPID and again covering INTRAstate pipelines and/or pipeline facilities for each State in which INTRAstate systems exist within this OPID.

exist within this OPID. PARTs H, I, J, K, L, M, P, Q, and R												
	ported in th	<u> </u>		o: (soloct)	anly anal							
	TE pipelines				only one,							
INTRASTA	i L pipeiilles	s/pipeiiie id	acilities CF	CLII OKINA								
PART H - N	IILES OF TR	RANSMISSI	ON PIPE B	Y NOMINA	L PIPE SIZI	E (NPS)						
	NPS 4 or less	6	8	10	12	14	16	18	20			
	0	0	0.13	0	2.97	0	6.33	0	1.07			
	22	24	26	28	30	32	34	36	38			
	0	31	0	0	3.48	0	0	0	0			
Onshore	40	42	44	46	48	52	56	58 and over				
	0	0	0	0	0	0	0	0				
	Additional Si 0 - 0; 0 - 0;	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;										
44.98	Total Miles of	of Onshore Pipe	e – Transmiss	ion								
	NPS 4 or less	6	8	10	12	14	16	18	20			
	0	0	0	0	0	0	0	0	0			
	22	24	26	28	30	32	34	36	38			
	0	0	0	0	0	0	0	0	0			
Offshore	40	42	44	46	48	52	56	58 and over				
	0	0	0	0	0	0	0	0				
	Additional Si 0 - 0; 0 - 0; 0	zes and Miles) - 0; 0 - 0; 0 - ((Size – Miles;); 0 - 0; 0 - 0; ():) - 0; 0 - 0;								
0	Total Miles o	of Offshore Pipe	e – Transmiss	ion								
PART I - MI	LES OF GA	THERING F	PIPE BY NO	OMINAL PIF	PE SIZE (NF	PS)						
	NPS 4 or less	6	8	10	12	14	16	18	20			
Onshore	0	0	0	0	0	0	0	0	0			
Type A	22	24	26	28	30	32	34	36	38			
	0	0	0	0	0	0	0	0	0			
	40	42	44	46	48	52	56 58 ove	and er				

									Lybii			
	0	0	0	0	0	0	0	0				
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;											
0	Total Miles o	Total Miles of Onshore Type A Pipe – Gathering										
	NPS 4 or less	6	8	10	12	14	16		18	20		
	0	0	0	0	0	0	0		0	0		
	22	24	26	28	30	32	34		36	38		
Onshore	0	0	0	0	0	0	0		0	0		
Туре В	40	42	44	46	48	52	56	58 and over				
	0	0	0	0	0	0	0	0				
		Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;										
	Additional Si	zes and Miles	(Size – Miles;)	: 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0	; 0 - 0; 0 - 0;	0 - 0; 0 - 0;					
0		zes and Miles of Onshore Typ			- 0; 0 - 0; 0 - 0); 0 - 0; 0 - 0;	0 - 0; 0 - 0;					
0					- 0; 0 - 0; 0 - 0	14	0 - 0; 0 - 0;		18	20		
0	Total Miles o	of Onshore Typ	e B Pipe – Ga	thering					18	20		
0	Total Miles of NPS 4 or less	of Onshore Typ	e B Pipe – Ga	thering	12	14	16					
	Total Miles of NPS 4 or less	of Onshore Typ 6 0	e B Pipe – Ga 8 0	thering 10 0	12	14	16		0	0		
0 Offshore	NPS 4 or less 0	of Onshore Typ 6 0 24	e B Pipe – Ga 8 0 26	thering 10 0 28	12 0 30	14 0 32	16 0 34	58 and over	0 36 0	0 38		
	NPS 4 or less 0 22 0	of Onshore Typ 6 0 24 0	8 0 26 0	10 0 28 0	12 0 30 0	14 0 32 0	16 0 34	58 and	0 36 0	0 38		
	Total Miles of NPS 4 or less 0 22 0 40 0	of Onshore Typ 6 0 24 0 42	8 0 26 0 44	10 0 28 0 46	12 0 30 0 48	14 0 32 0 52 0	16 0 34 0 56	58 and over	0 36 0	0 38		

PART J – MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	0	0	0
Offshore						
Subtotal Transmission	0	0	0	0	0	0
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore						
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0	0	0	0
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	0	0	44.79	0.19	0	44.98
Offshore						
Subtotal Transmission	0	0	44.79	0.19	0	44.98
Gathering						

Form Approved OMB No. 2137-0522 Expires: 1/31/2023

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	44.79	0.19	0	44.98
	0 0 0	0 0 0 0 0 0 0 0 0 0			

ONOUGE		Total Miles			
ONSHORE	Class I	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	3.32	0.39	1.37	0	5.08
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	28.37	4.85	0.07	0	33.29
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	5.92	0.69	0	0	6.61
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	37.61	5.93	1.44	0	44.98
OFFSHORE	Class I				-
Less than or equal to 50% SMYS	0				
Greater than 50% SMYS but less than or equal to 72% SMYS	0				
Steel pipe Greater than 72% SMYS	0				
Steel Pipe Unknown percent of SMYS	0				
All non-steel pipe	0				
Offshore Total	0				0
Total Miles	37.61				44.98

PART L - MILES OF PIPE BY CLASS LOCATION

. 7							
		Class L	Total Class Location	HCA Miles in the IMP			
	Class I	Class 2	Class 3	Class 4	Miles	Program	
Transmission							
Onshore	37.61	5.93	1.44	0	44.98	1.44	
Offshore	0	0	0	0	0		
Subtotal Transmission	37.61	5.93	1.44	0	44.98		
Gathering							

Form Approved OMB No. 2137-0522 Expires: 1/31/2023

Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	
Total Miles	37.61	5.93	1.44	0	44.98	1.44

PART M - FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

		Transmissi	on Leaks,	and Failures		Gathering Leaks				
		Lea	ks		Failures in	Onshor	e Leaks	Offshore Leaks		
	Onsh	ore Leaks	Leaks Offsho		HCA					
Cause	HCA	Non-HCA	HCA	Non-HCA	Segments	Type A	Type B			
External Corrosion		0		0		0	0	0		
Internal Corrosion		0		0		0	0	0		
Stress Corrosion Cracking		0		0		0	0	0		
Manufacturing		0		0		0	0	0		
Construction		0		0		0	0	0		
Equipment		0		0		0	0	0		
Incorrect Operations		0		0		0	0	0		
Third Party Damage/Mecha	anical Da	amage				=				
Excavation Damage		0		0		0	0	0		
Previous Damage (due to Excavation Activity)		0		0		0	0	0		
Vandalism (includes all Intentional Damage)		0		0		0	0	0		
Weather Related/Other Out	tside Fo	rce								
Natural Force Damage (all)		0		0		0	0	0		
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)		0		0		0	0	0		
Other		0		0		0	0	0		
Total		0		0		0	0	0		

PART M2 - KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR

Transmission 0 Gathering 0

PART M3 - LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR

Transmission		Gathering				
		Onshore Type A	0			
Onshore	0	Onshore Type B	0			
OCS	0	OCS	0			
Subtotal Transmission	0	Subtotal Gathering	0			
Total		0				

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS										
		thodically ected	Steel Cat unpro	hodically tected						
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
Transmission										
Onshore	0	44.98	0	0	0	0	0	0	0	44.98
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	44.98	0	0	0	0	0	0	0	44.98
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	44.98	0	0	0	0	0	0	0	44.98

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State ²specify Other material(s):

	(a)(1) Total	(a)(1) Incomplete	(a)(2) Total	(a)(2) Incomplete	(a)(3) Total	(a)(3) Incomplete	(a)(4) Total	(a)(4) Incomplete	(c) Total	(c) Incomplete	(d) Total	(d) Incomplete	Other ¹ Total	Other Incomplete
	Total	Records	Total	Records	Total	Records	Total	Records	Total	Records	rotai	Records	Total	Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	37.61		0		0		0		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	5.93		0		0		0		0		0		0	
Class 3 (in HCA)	1.44	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Tota	44.98	0	0	0	0	0	0	0	0	0	0	0	0	0
Grand Total	-	•		-	-	-		44.98		-		-	=	-
Sum of Total row	for all "	Incomple	te Red	cords" colu	mns			0						
¹ Specify Other m	ethod(s)	:							_					
Class 1 (in HCA)														
Class 2 (in HCA)							Class	2 (not in HC	A)					
Class 3 (in HCA)							Class	3 (not in HC	A)					
Class 4 (in HCA) Class 4 (not in HCA)														

	PT ≥ 1.25 MAOP		1.25 MAOI	P > PT ≥ 1.1 MAOP	PT < 1.1 or No PT		
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	
Class 1 in HCA	0	0	0	0	0	0	
Class 2 in HCA	0	0	0	0	0	0	
Class 3 in HCA	1.44	0	0	0	0	0	
Class 4 in HCA	0	0	0	0	0	0	
in HCA subTotal	1.44	0	0	0	0	0	
Class 1 not in HCA	37.61	0	0	0	0	0	
Class 2 not in HCA	5.93	0	0	0	0	0	
Class 3 not in HCA	0	0	0	0	0	0	
Class 4 not in HCA	0	0	0	0	0	0	
not in HCA subTotal	43.54	0	0	0	0	0	
Total	44.98	0	0	0	0	0	
PT ≥ 1.25 MAOP Total		44.98	Total Miles Internal In	spection ABLE	44.98		
1.25 MAOP > PT ≥ 1.1 MAOP Total		0	Total Miles Internal Inspection NOT ABLE		0		
PT < 1.1 or No PT To	tal		0		Grand Total	44.98	
		Grand Total	44.98				

For the designated Commodity Group, complete PART N one time for all of the pipelines and/or pipeline facilities included within this OPID, and then also PART O if any gas transmission pipeline facilities included within this OPID have Part L HCA mile value greater than zero.

PART N - PREPARER SIGNATURE	
Gregory Clark Preparer's Name(type or print)	(209)368-9277 Telephone Number
Compliance Manager	
Preparer's Title	-
greg.clark@rockpointgs.com	
Preparer's E-mail Address	-
PART O - CERTIFYING SIGNATURE (applicable only to PARTs B, F, G, and M1)	
	_ (403)513-8657 Telephone Number
Mathieu Fournier	
Senior Executive Officer's name certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)	-
VP, Engineering & Operations	
Senior Executive Officer's title certifying the information in PARTs B, F, G, and M as required by	-

49 U.S.C. 60109(f)

mathieu.fournier@rockpointgs.com

Senior Executive Officer's E-mail Address